

Work Order ID 53083

October 22, 2009 3:50:02 PM



Page 1

Item ID: D3186-3

Accept



Setup Start



Revision ID: E

Stop



Item Name: Spacepod Door, LH

Start Date: 21/10/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 04/11/2009 Req'd Qty: 1.00

Customer:

Reference:

Run Start



Approvals:

Process Plan:

W

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3186

Rev E

100

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1-Drill holes and cut out latch slots per dwg D3186 (D3186-3 detail)

RT 10-05-20

(P40)

110

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

8, 10/5/20

(X)

120

Identify as per dwg & Stock Location: *Composites*

0.00



Packaging

Memo

0.00

Packaging

RT 10-05-20

Dart Aerospace Ltd

W/O: 53083		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
10.05-19	100	Trim Door as necessary to fit space pod per drawing.	<i>[Signature]</i>	10.05-19		<i>[Signature]</i>	<i>[Signature]</i>
		QC 6 inspect fit of door to spacepod	<i>[Signature]</i>	10.05-19	x1	<i>[Signature]</i>	<i>[Signature]</i>

Part No: D3186-3 PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 53083

Page 2

October 22, 2009 3:50:02 PM

Item ID:	D3186-3	Accept		Setup	Start	
Revision ID:	E				Stop	
Item Name:	Spacepod Door, LH					
Start Date:	21/10/2009	Start Qty:	1.00		Cust Item ID:	
Required Date:	04/11/2009	Req'd Qty:	1.00		Customer:	
Reference:						

Approvals:	Process Plan:	Date:	Tooling:	Date:	Run	Start	
	QC:	Date:	SPC (Y/N):	Date:		Stop	

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
QC	Memo	0.00							
Quality Control									

W 10.05.20

Page 1

October 22, 2009 3:50:06 PM

Work Order ID: 53083

Parent Item: D3186-3RevE

Parent Item Name: Spacepod Door, LH




Start Date: 21/10/2009

Required Date: 04/11/2009

Comments:


Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3186-1MRevE		Manufactured	No				Each	0.0000	1.0000			
						B 53194						
SPACEPOD DOOR LH												

SHUT CO
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 53083


PL 09-10-22



D3186-1 SPACEPOD DOOR, LH
MAKE FROM D3186-1M

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A




D3186-3 SPACEPOD DOOR, LH
MAKE FROM D3186-1M

RELEASED
2009-09-09


REV.	DESCRIPTION	BY	DATE
E	DRAWING UPDATED TO CURRENT STANDARDS. 1.10 WAS 0.98 (ZN B5-1, B4-1, B7-2, B1-2); R0.12 WAS 0.125 (ZN B5-5); REF PAR 09-026	RF	09.07.08
D	UPDATE DIMENSIONS	LE	07.02.22
C	REMOVED D0600-XXX LABELS	LE	06.12.13
B	DIMS UPDATED TO MATCH PRODUCT FOAM PATTERN UPDATED D3186-1M/-2M/-3/-4 ADDED	LE	06.09.25
A	NEW ISSUE	CP	03.03.27
DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>		
MFG. APPR.	<i>[Signature]</i>		
APPROVED	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>	DRAWING NO. D3186 TITLE SPACEPOD DOOR SCALE NTS	
DATE	09.07.08	REV. E SHEET 1 OF 5	

COPYRIGHT © 2003 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

53083



D3186-2 SPACEPOD DOOR, RH
MAKE FROM D3186-2M




D3186-4 SPACEPOD DOOR, RH
MAKE FROM D3186-2M

RELEASED
2009-09-09

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: N/A

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3186	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD DOOR	NTS
DATE	09.07.08	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

53083



MAIN LAYUP
 9 OZ SATIN (9 SQ FEET)
 9 OZ SATIN (9 SQ FEET)
 FOAM
 9 OZ SATIN (9 SQ FEET)
 12 OZ UNIDIRECTIONAL
 9 OZ SATIN (9 SQ FEET)
 RESIN (35-45% BY WEIGHT)
 PEEL PLY

D3186-1M SPACEPOD DOOR AS MOLDED


NOTES:

- 1) MATERIAL:
 RESIN = EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
 FOAM = 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
 FIBRE = 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
 12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
 LAMINATE PER DART QSI 006 4.0
 LAMINATION SCHEDULE PER THIS DRAWING
- 2) FINISH: FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 7.0 lbs
- 8) USE MOLD DT8005 FOR DOOR LAYUP

RELEASED
 2009-09-08

DESIGN	DS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. E
MFG. APPR.		D3186	SHEET 3 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD DOOR	NTS
DATE	09.07.08	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

9 OZ SATIN (9 SQ FEET)
9 OZ SATIN (9 SQ FEET)
FOAM
9 OZ SATIN (9 SQ FEET)
12 OZ UNIDIRECTIONAL
9 OZ SATIN (9 SQ FEET)
RESIN (35-45% BY WEIGHT)
PEEL PLY







RELEASED
2009-09-09


1) MATERIAL:

RESIN = EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
FOAM = 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
FIBRE = 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
LAMINATE PER DART QSI 006 4.0
LAMINATION SCHEDULE PER THIS DRAWING


- 2) FINISH: FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 7.0 lbs
- 8) USE MOLD DT8006 FOR DOOR LAYUP

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. 1
MFG. APPR.		D3186	SHEET 4 OF 4
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD DOOR	NT
DATE	09.07.08	COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


53083




DETAIL A D6-3
SCALE 4X D4-4




DETAIL B C6-3
SCALE 4X C6-4



DETAIL E C1-1
SCALE 4X




DETAIL C D7-1
SCALE 4X D3-1
D6-2
D3-2



NOTE: ENSURE THAT CUTOUT IS PERPENDICULAR TO EDGE OF DOOR

DETAIL D C5-1
SCALE 4X D4-1
B6-2
C2-2



DETAIL F C4-2
SCALE 4X

RELEASED
2009-09-09

DESIGN	DS	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. E
MFG. APPR.		D3186	SHEET 5 OF 5
APPROVED		TITLE	SCALE
DE APPR.		SPACEPOD DOOR	NTS
DATE	09.07.08	<small>COPYRIGHT © 2003 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	